

Essential medications for high-quality patient care





Essential Medications - Q3 2023

Five new medications added

As part of the mission to end drug shortages, Vizient pharmacy experts continue to identify essential medications where, if not available, would prove the greatest threat to a hospital's ability to provide immediate and high-quality patient care. This quarter's additions include five new medications:

- Cidofovir Intravenous
- Ibutilide Injection
- Lactated Ringer's Intravenous
- Methimazole Oral
- Rivastigmine Oral

Also included in the Essential Medications List are accompanying mitigation strategies published by The Vizient Center for Pharmacy Practice Excellence. The mitigation strategies are ready-to-use documents which provide pharmacy leadership and frontline staff with the pertinent clinical and operational mitigation strategies to address drug shortages at the institutional level. The column for mitigation strategies is hyperlinked to the document.

Additionally, this issue highlights medications on the ASHP shortage list. Drug shortages and other supply chain issues can adversely impact patient care by delaying treatment, worsening patients' health outcomes or requiring patients to switch to non-optimal treatment regimens. These shortages also present financial, labor and administrative challenges for healthcare providers

Overall, there are 322-line items included in the Essential Medications List representing 301 unique drugs and nine categories. The essential medications list is divided into the following categories.

Everyday Essential Medications

- Acute treatment drugs with no alternatives (64 drugs) Medicines used in acute and critical circumstances to sustain life and for which there are no current alternatives
- Chronic treatment drugs with no alternatives (13 drugs) Products used in chronic disease states or conditions where no
 alternatives are available (e.g., nutritional deficiencies)
- High impact drugs (153 drugs) Medicines for which alternatives are available but may be less clinically desirable and/or are
 more operationally difficult to use. Also reflects drugs where the absence of one medication can affect therapeutically related drugs
- Pediatric impact (62 drugs) These medications, if supply is disrupted, would have a disproportionate effect on the pediatric
 population due to preferred formulation and/or concentrations and limited treatment options
- Antibiotic resistance (29 drugs) Includes identification of antimicrobials necessary to treat organisms listed in the CDC's Antibiotic Resistance Threats in the U.S
- Antidotes (67 drugs) Medications used to counteract or neutralize the effect of another drug or poison.
- Oncology (51 drugs) Traditional chemotherapy and targeted medication for life-saving cancer treatment and supportive care agents.

General comments

Updated quarterly, Vizient uses the identification of these essential medications to:

- Initiate sourcing strategies that prioritize production of these medications
- Continue efforts to advocate and endorse public policies that facilitate expanded supply and increased quality of the products contained within this
 database, and
- Focus development of clinical mitigation strategies on medications that are classified as "essential"

At time of publication, more than 53% of the essential medications are available through Novaplus, our market-leading, private label program that includes a consistent supply of competitively priced medications for both inpatient and outpatient facilities. Novaplus is also a critical strategy in protecting health systems and hospitals from drug shortages and the impact on resources and delivery of patient care.

In addition, 36% of the listed drugs are also on the ASHP drug shortage list, and 38% are available through the Novaplus Enhanced Supply program. With commitment to additional production based on Vizient member historical purchases, this inventory program results in more than 130 million additional vials to the current inventory, driving both supplier resiliency and access to those critical, life-saving drugs through the ease of the full line wholesale channel, without any additional forms, fees or commitments.

The identification and recognition of these essential medications by our hospital members and clinical experts is another key action step we take to improve the resilience of supply. We remain committed to working with our members and other stakeholders to bring a permanent end to drug shortages. In fact, Vizient is a member of the End Drug Shortages Alliance, which includes health system, supply chain, industry and other stakeholders dedicated to solving pharmaceutical supply challenges by collaborating to increase visibility, access and advocacy. Learn more at enddrugshortages.com.

Dan Kistner, Pharm.D Group Senior Vice President Vizient Pharmacy Solutions



Essential Medications^a

The Essential medications list of drugs is not static and has the potential to change as new products enter the market and as clinical recommendations are revised. New medications are bolded throughout the chart.

This document is not intended to replace other critical drug lists, such as those related to disaster preparedness circumstances. This is intended to identify and provide context to those molecules whose absence presents the greatest ongoing threat to routine patient care requirements.

= Click to get redirected to mitigation strategy

Bold = New medications added

Orange = Medication on the ASHP shortage list at this time of publication

Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
3-Factor Prothrombin Complex Concentrate (Human) (PCC) Inj			•			
4-Factor Prothrombin Complex Concentrate (Human) (PCC) Inj			•			•
Acetaminophen Inj	•					
Acetaminophen Oral	•			•		
Acetaminophen Rectal	•			•		
Acetylcysteine Inj	•					
Acyclovir Sodium Inj			•	•		•
Adenosine Inj	•					
Albumin Human Inj			•			•
Albuterol Sulfate Inhalation			•	•		•
Alcohol, Dehydrated, Inj			•			
Allopurinol Inj			•			
Alprostadil Inj	•			•		
Alteplase Recombinant Inj	•			•		
Amino Acid Inj		•				
Amino caproic Acid Inj			•	•		
Aminophylline Inj	•			•		
Amiodarone HCI Inj	•			•		•
Amoxicillin Oral			•	•		
Amoxicillin/ Clavulanate Potassium Oral			•	•		
Amphotericin B Deoxycholate Inj			•			
Amphotericin B Lipid Complex Intravenous			•		•	
Ampicillin Ini			•	•		



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Ampicillin Sodium/ Sulbactam Sodium Inj			•	•	•	
Aprepitant Inj		F	•		li .	
Argatroban Inj			•			
Ascorbic Acid Inj	•	I.	ļ.		l.	
Aspirin Oral	•					
Atropine Sulfate Inj	•	le .		•		
Atropine Sulfate Ophthalmic			•			
Azathioprine Sodium Inj		le .	•			
Azithromycin Inj			•	•	•	
Aztreonam Inj			•		•	
Benznidazole Oral			•			
Betamethasone Inj			•	•		•
Bumetanide Inj			•	•		•
Bupivacaine HCl Inj			•			•
Bupivacaine with Epi Inj			•			•
Caffeine Citrate Inj			•	•		
Calcium Chloride Inj			•	•		•
Calcium Gluconate Inj			•	•		
Caspofungin Acetate Inj			•		•	
Cefazolin Sodium Inj		le .	•	•		•
Cefepime HCl Inj			•			
Cefiderocol Inj			•		•	
Cefotaxime Sodium Inj			•	•		
Ceftaroline Fosamil Monoacetate Inj			•		•	
Ceftazidime Inj			•	•		
Ceftazidime/ Avibactam Inj		F	•		•	
Ceftolozane/ Tazobactam Inj			•		•	
Ceftriaxone Sodium Inj			•		•	
Chlorothiazide Sodium Inj			•	•		
Chromic Chloride Inj		•				
Cidofovir Intravenous			•			
Ciprofloxacin HCl Ophthalmic			•			
Ciprofloxacin Inj			•			
Cisatracurium Besylate Inj			•			•



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Clindamycin Phosphate Inj	•					
Clobazam Oral	•			•		
Colistimethate Sodium Inj	•				•	
Continuous Renal Replacement Therapy (CRRT)	•					
Copper Inj		•				
Cyclosporine Inj		le .	•			
Cyclosporine Oral		•				
Cysteine HCI Inj		•		•		
Daptomycin Inj			•		•	
Darbepoetin Alfa Inj			•			
Desflurane Inhalation			•			
Desmopressin Acetate Inj	•					
Dexamethasone Sodium Phosphate Inj			•			
Dexmedetomidine HCI Inj		l.	•			•
Dextrose 50% in Water Inj	•			•		•
Diazepam Inj		I.	•	•		
Digestive Enzymes Oral		•		•		
Diltiazem HCl Inj			•			•
Diphenhydramine HCl Inj	•					
Dobutamine HCl Inj			•	•		•
Dopamine HCl Inj			•	•		
Doxycycline Hyclate Inj	•					
Enoxaparin Sodium Inj			•			
Ephedrine Inj		I.	•			
Epinephrine (Racepinephrine) Inhalation			•	•		•
Epinephrine Inj	•	F		•		•
Epoetin Alfa Recombinant Inj			•			
Eptifibatide Inj			•			
Ertapenem Inj			•		•	
Erythromycin Ophthalmic			•	•		•
Estrogens, Conjugated, Inj			•			
Ethambutol HCl Oral			•			
Etomidate Inj			•			•
Famotidine Inj			•			



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Fat Emulsion Intravenous	•			•		
Fentanyl Citrate Inj			•			•
Ferric Carboxymaltose Inj			•			
Ferric Gluconate Complex Inj			•			
Ferumoxytol Inj			•			
Fidaxomicin Oral			•		•	
Fluconazole Inj			•			
Fludrocortisone Acetate Oral		•				
Flumazenil Inj	•					
Fluorescein Sodium Strips Ophthalmic			•			
Folic Acid Inj		•				
Fosphenytoin Sodium Inj			•	•		
Furosemide Inj			•			•
Gentamicin Sulfate Inj			•	•	•	•
Glucagon Inj	•					
Glycopyrrolate Inj			•	•		
Haloperidol Lactate Inj			•			
Heparin Sodium Inj			•			
Hydrocortisone Sodium Succinate Inj			•			
Hydromorphone HCI Inj			•			•
Hydroxocobalamin (B12) Inj		•				
Ibuprofen Inj	•			•		
Ibuprofen Oral	•					
Ibutilide Inj			•			
Imipenem/ Cilastatin/ Relebactam Inj			•		•	
Immune Globulin (IVIG) Inj	•					•
Indomethacin Inj	•			•		
Insulin Regular (Human) Inj	•					
lodinated Contrast Media	•					•
Ipratropium Bromide Inhalation	•			•		
Iron Dextran Inj			•			
Iron Sucrose Inj			•			
Isoflurane Inhalation			•			
Isoproterenol HCl Inj			•			



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Ketamine HCl Inj	•					•
Labetalol HCl Inj			•			
Lacosamide Inj			•			
Lactated Ringer's Intravenous	•					
Lactulose Oral			•	•		
Lefamulin Inj		le Company of the Com	•		•	
Levetiracetam Inj	•			•		
Levofloxacin Inj			•			
Levothyroxine Sodium (T4) Inj	•					
Lidocaine Hydrochloride Inj			•			•
Lidocaine Hydrochloride/ Epinephrine Bitartrate Inj			•			•
Linezolid Inj		le Company of the Com	•		•	
Liothyronine Sodium (T3) Inj	•					
Lorazepam Inj		F	•			•
Magnesium Sulfate Inj	•					•
Manganese Inj		•				
Meropenem Inj			•	•	•	
Meropenem/ Vaborbactam Inj		li de la companya de	•		•	
Methadone HCl Oral			•			
Methimazole Oral		li de la companya de	•			
Methylene Blue Inj	•					
Methylergonovine Maleate Inj		le Company of the Com	•			
Methylprednisolone Sodium Succinate Inj			•			
Metoprolol Tartrate Inj		le Company of the Com	•			
Metronidazole Inj			•			
Micafungin Sodium Inj			•		•	
Midazolam HCl Inj			•	•		•
Milrinone Lactate Inj			•	•		
Morphine Sulfate Inj			•			
Moxifloxacin Inj			•		•	
Mycophenolate Mofetil HCl Inj			•			
Naloxone HCl Inj	•					
Neostigmine Methylsulfate Inj			•			
Nicardipine HCl Inj			•			



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Nitroglycerin Inj			•			
Nitroprusside Sodium Inj			•			
Norepinephrine Bitartrate Inj			•			
Octreotide Acetate Inj	•					
Ofloxacin Ophthalmic			•			
Ondansetron HCI Inj			•	•		
Oxytocin Inj	•					•
Pantoprazole Sodium Inj			•			
Penicillin G Inj			•	•		
Phenobarbital Sodium Inj			•	•		
Phentolamine Mesylate Inj	•					
Phenylephrine HCl Inj	•					
Phytonadione (Vit K) Inj	•			•		
Piperacillin Sodium/ Tazobactam Sodium Inj			•			
Polymyxin B Inj			•		•	
Potassium Acetate Inj			•			•
Potassium Chloride Inj			•			
Potassium Iodide Oral			•			
Potassium Phosphate Inj			•			•
Prednisolone Oral			•	•		
Promethazine Inj			•	•		
Propofol Inj			•			•
Propranolol HCl Inj			•			
Propylthiouracil (PTU) Oral	•					
Pyridoxine HCI (Vit B6) Inj	•					•
Remifentanil HCI Inj			•			
Reteplase Recombinant Inj			•			
Rho(D) Immune Globulin Inj	•					
Ribavirin Inhalation	•					
Rifampin Oral			•		•	
Rocuronium Bromide Inj			•			•
Ropivacaine HCl Inj			•			•
Selenium Inj		•		•		
Sevoflurane Inhalation			•			
Sildenafil Inj	•			•		



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Sirolimus Oral			•			
Sodium Acetate Inj			•			•
Sodium Benzoate/ Sodium Phenylacetate Inj	•			•		
Sodium Bicarbonate Inj	•					
Sodium Chloride 0.9% Intravenous	•					•
Sodium Chloride 23.4% Intravenous	•					
Sodium Chloride 3% Intravenous	•					
Sodium Chloride Bacteriostatic 0.9%			•			
Sodium Phosphate Inj			•	•		•
Sodium Polystyrene Sulfonate Oral			•			•
Sodium Thiosulfate Inj	•					
Sterile Water for Inj (SWFI) Inj			•			•
Succinylcholine Chloride Inj			•			•
Sulfamethoxazole/ Trimethoprim Oral	•				•	
Surfactant, Lung, Intratracheal	•			•		
Tacrolimus Inj			•			
Tacrolimus Oral			•			
Tedizolid Inj			•		•	
Tenecteplase Inj	•	ļ				
Terbutaline Inj			•	•		
Thiamine (Vit B1) Inj	•					•
Thrombin Topical	•					
Tigecycline Inj			•		•	
Tirofiban HCl Inj			•			
Tobramycin Inhalation	•			•		
Tocilizumab Inj	•					•
Tranexamic Acid Inj	•					
Valganciclovir HCl Oral			•			
Valproic Acid Inj			•			•
Vancomycin HCl Inj			•	•	•	
Vasopressin Inj	•					



Everyday Essential Medications	Acute treatment drugs / no alternative	Chronic treatment drugs / no alternative	High impact	Pediatric impact	Antibiotic resistance ^b	Mitigation strategy
Vecuronium Bromide Inj			•	•		•
Vitamin D Analogs Inj		•				
Voriconazole Inj			•		•	
Warfarin Sodium Oral			•			
Zinc Chloride Inj		•		•		

Abbreviations: HCI = Hydrochloride; Inj = Injection; IV = Intravenous; IVIG = Intravenous immunoglobulin; NS = Normal saline

Antidotes

= Click to get redirected to mitigation strategy

Orange = Medication on the ASHP shortage list at this time of publication

Antidote	Primary indication in toxicology ^a	Mitigation strategy
3-factor Prothrombin Complex Concentrate (PCC) Inj	Reversal of anticoagulants (e.g., warfarin)	
4-factor Prothrombin Complex Concentrate (PCC) Inj	Reversal of anticoagulants (e.g., warfarin, factor Xa inhibitors)	•
Acetlycysteine Inj	Acetaminophen toxicity	
Activated Charcoal Oral	Gastrointestinal decontamination	
Activated Prothrombin Complex Concentrate (aPCC; FEIBA) Inj	Reversal of anticoagulants (e.g., DOACs)	
Aminocaproic Acid Inj	Life-threatening bleed in patient on thrombolytic or anticoagulation (e.g., DOACs)	
Andexanet Alfa (Andexanet) Inj	Reversal of factor Xa inhibitors	
Antivenin (Latro dectus mactans) Inj	Envenomation due to Lactrodectans mactans (black widow spider)	
Atropine Inj	Cholinergic toxicity (e.g., organophosphate poisoning)	
Botulinum Antitoxin Inj	Botulism (Clostridium botulinum)	
Calcium Chloride Inj	Beta-blocker, calcium channel blocker toxicity	
Calcium Gluconate Inj	Beta-blocker, calcium channel blocker toxicity	

^aMedications identified as of greatest importance were selected by the Vizient pharmacy team from a comprehensive clinical review of products contained within the World Health Organization's (WHO) Essential Medicines list, the Advanced Cardiac Life Support (ACLS) and Pediatric Advanced Life Support (PALS) algorithms, and medications included in Vizient member health systems' critical drug lists.

^bThis column contains antimicrobials necessary to treat organisms listed in the CDC's Antibiotic Resistance Threats in the U.S., 2019 report. Members should determine which product(s) to include on formulary using discussions with local experts and antibiogram data. Items in bold are new



Antidote	Primary indication in toxicology ^a	Mitigation strategy
Calcium Gluconate Topical	Hydrofluoric acid	
Centruroides Immune F(ab')2 (equine) Inj	Scorpion envenomation	
Crotalidae Immune F(ab')2 (equine) Inj	Crotalinae envenomation	
Crotalidae Polyvalent- immune Fab (ovine) Inj	Crotalinae envenomation	
Cyproheptadine Oral	Serotonin syndrome	
Dantrolene Inj	Malignant hyperthermia	
Deferoxamine Inj	Acute iron toxicity	
Dexrazoxane Inj	Extravasation of anthracyclines	
Dextrose Inj	Hypoglycemia (antidiabetic agents)	•
Digoxin Immune Fab Inj	Digoxin toxicity	
Dimethyl Sulfoxide (DMSO) Inj	Extravasation	
Edetate Calcium Disodium Inj	Lead poisoning	
Flumazenil Inj	Reversal of benzodiazepines	
Folic Acid Inj	Methanol toxicity, reduce toxicity associated with antifolate chemotherapy	
Folic Acid Oral	Methanol toxicity, reduce toxicity associated with antifolate chemotherapy	
Fomepizole Inj	Methanol, ethylene glycol toxicity	
Glucagon Inj	Beta-blocker, calcium channel blocker toxicity	
Glucarpidase Inj	Methotrexate toxicity	
Glycopyrrolate Inj	Adjunct in NMB reversal (offset cholinergic effects associated w/ neostigmine, pyridostigmine)	
Hyaluronidase Inj	Extravasation, misc.	
Hydroxocobalmin (Cyanokit) Inj	Cyanide poisoning	
ldarucizumab (Praxbind) lnj	Reversal of dabigatran	
Insulin Regular Inj	Beta-blocker, calcium channel blocker toxicity	
Leucovorin Inj	Methotrexate toxicity	
Leucovorin Oral	Methotrexate toxicity	
Levocarnitine (L-carnitine) Inj	Valproic acid toxicity	
Levocarnitine (L-carnitine) Oral	Valproic acid toxicity	
Levoleucovorin Inj	Methotrexate toxicity	



Antidote	Primary indication in toxicology ^a	Mitigation strategy
Lipid Emulsion, 20% Inj	Systemic toxicity from local anesthetics; lipid soluble cardiotoxics (e.g., beta-blockers, CCBs)	
Methylene Blue Inj	Methemoglobinemia	
Naloxone Inj	Reversal of opioids	
Neostigmine Inj	Reversal of non-depolarizing NMB	
Octreotide Inj	Hypoglycemia induced by insulin-secretagogues (e.g., sulfonylureas)	
Phentolamine Inj	Extravasation of vasopressors (e.g., no repinephrine)	
Phytonadione Inj	Reversal vitamin K antagonist (e.g., warfarin)	
Phytonadione Oral	Reversal vitamin K antagonist (e.g., warfarin)	
Potassium lodide Oral	Radioactive iodine exposure	
Pralidoxime Inj	Cholinergic toxicity (e.g., organophosphate poisoning)	
Protamine Inj	Heparin (UFH, LMWH) reversal	•
Pyridostigmine Inj	Reversal of non-depolarizing NMB	
Pyridoxine Inj	Isoniazid toxicity	•
Rabies Immune Globulin (Human) Inj	Rabies, postexposure prophylaxis	
Rabies Vaccine Inj	Rabies, pre- and postexposure prophylaxis	
Rivastigmine Oral	Anticholinergic toxicity (alternative to physostigmine)	
Sodium Bicarbonate Inj	Various toxicities (e.g., cyclic antidepressants, salicylates)	
Sodium Nitrite Inj	Cyanide poisoning	
Sodium Thiosulfate Inj	Cyanide poisoning	
Succimer Oral	Aresenic, mercury, and lead poisoning	
Sugammadex Inj	Reversal of NMB (rocuronium or vecuronium)	
Tetanus Immune Globulin (Human) Inj	Tetanus, prophylaxis and treatment	
Tetanus Toxoid⁵ Inj	Tetanus, prophylaxis	
Thiamine Inj	Ethanol (prevention/treatment of Wernicke encephalopathy), ethylene glycol toxicity	
Tranexamic Acid Inj	Life-threatening bleed in patient on thrombolytic or anticoagulation (e.g., DOACs)	
Uridine Triacetate Oral	Fluorouracil or capecitabine toxicity	

Abbreviations: DMSO = Dimethyl sulfoxide; DOAC = Direct-acting oral anticoagulant; Inj = injection; LMWH = Low molecular weight heparin; NMB = Neuromuscular blocker; UFH = Unfractionated heparin

^a These medications may have additional indications

^b Refers to a tetanus toxoid-containing vaccine; see guidelines for preferred presentation based on age and current vaccine status



Oncology

= Click to get redirected to mitigation strategy

Orange = Medication on the ASHP shortage list at this time of publication

Drug name	Life-saving drugs with no alternative	High Impact	Mitigation strategy
Arsenic Trioxide Inj	•		
Asparaginase (Erwinia) Inj		•	
Asparaginase (Erwinia) [recombinant] Inj		•	
BCG Vaccine Inj	•		•
Bendamustine Inj	•		
Bleomycin Sulfate Inj		•	
Bortezomib Inj		•	
Busulfan Inj	•		
Calcitonin-Salmon Inj	•		
Capecitabine Oral		•	
Carboplatin Inj		•	
Cisplatin Inj		•	•
Cyclophosphamide Inj		•	
Cytarabine (Conventional) Inj	•		
Dacarbazine Inj	•		
Dactinomycin Inj	•		
Daunorubicin HCl Inj		•	
Doxorubicin HCl (Conventional) Inj		•	
Etoposide Inj	•		
Filgrastim Inj*		•	
Flourouracil Inj		•	•
Fludarabine Inj	•		•
Ibrutinib Oral		•	
Ifosfamide Inj	•		
Imatinib Oral		•	
Irinotecan Inj		•	
Isotretinoin Oral	•		
Hydroxyurea Oral	•		



Drug name	Life-saving drugs with no alternative	High Impact	Mitigation strategy
Lenalidomide Oral		•	
Leuprolide Inj		•	
Lomustine Oral		•	
Melphalan Inj	•		
Mercaptopurine Oral	•		
Mesna Inj		•	
Methotrexate Inj	•		
Mitomycin Inj		•	
Nelarabine Inj	•		
Oxaliplatin Inj		•	
Paclitaxel (Conventional) Inj		•	•
Pegaspargase Inj		•	
Procarbazine Oral	•		
Rasburicase Inj	•		
Rituximab Inj*	•		
Tamoxifen Oral		•	
Thalidomide Oral		•	
Thiotepa Inj	•		
Trastuzumab Inj*	•		
Tretinoin Oral	•		
Vinblastine Sulfate Inj	•		
Vincristine Sulfate Inj	•		
Zoledronic Acid Inj		•	

Abbreviations: BCG = Bacillus Calmette—Guérin; HCl = hydrochloride; Inj = injection

To learn more details about Vizient Pharmacy Solutions and the Novaplus Enhanced Supply program, go to www.vizientinc.com or email pharmacyquestions@vizientinc.com.



As the nation's largest member-driven health care performance improvement company, Vizient provides solutions and services that empower health care providers to deliver high-value care by aligning cost, quality and market performance. With analytics, advisory services and a robust sourcing portfolio, we help members improve patient outcomes and lower costs.

^{*} Includes originator and biosimilar products