

vizient

Awarded Supplier

Category: Breast Implants
Contract Number: MS6470

abbvie

Allergan
Aesthetics
an AbbVie company

DID YOU KNOW?

8 OUT OF 10

women surveyed who require a mastectomy are unaware of their breast reconstruction options^{1,*}

*Per 2016 survey.

4 MILLION PEOPLE have a history of breast cancer²

1 IN 8 WOMEN will develop invasive breast cancer over their lifetime²

The *Natrelle*[®] Difference. Our Commitment.

Natrelle[®] and Allergan Aesthetics are at the forefront of empowering the breast cancer community through Pink Ribbon Strong 365—an initiative to help educate, support, and raise awareness for breast cancer patients all year long. By providing education and patient stories, we help empower women to make the choice that's right for them.

INSPIRING PATIENT STORIES

20+ Empowering and Inspiring Women

share their *Natrelle*[®] breast reconstruction experiences[†]



Follow us to stay in touch throughout Breast Cancer Awareness Month @NatrelleBreastReconstruction



Click the icon to subscribe to the *Natrelle*[®] YouTube channel



91%

of women who had breast reconstruction with *Natrelle*[®] Breast Implants WERE SATISFIED WITH THEIR IMPLANTS AT 10 YEARS^{3,*}

*Per 2016 survey.

Actual breast reconstruction patients with *Natrelle* INSPIRA[®] Breast Implants. Individual results may vary.

¹Patient satisfaction based on primary reconstruction patients using round implants in the Allergan Aesthetics core study (n = 43; 67.4% definitely satisfied and 23.3% somewhat satisfied).

[†]Projected for 2022.

PINK RIBBON STRONG 365 PARTNERSHIPS

We partner with organizations who share the same goal—to educate women about breast cancer, breast reconstruction options, and other health topics.



SEE THE WAYS NATRELLE® IS INVOLVED IN THE BREAST CANCER COMMUNITY [HERE](#)

HELPING PATIENTS UNDERSTAND THEIR AESTHETIC OPTIONS: TO RECONSTRUCT OR NOT TO RECONSTRUCT?

Breast reconstruction is a personal decision, and *Natrelle*® is committed to supporting the breast cancer community—no matter what path a woman chooses to take.

Types of Reconstruction



1. CHOOSING BREAST IMPLANTS (implant-based reconstruction)

There are 2 types of techniques for implant-based reconstruction: **1-stage or 2-stage.**



2. USING YOUR OWN BODY TISSUE (autologous reconstruction)



3. USING YOUR OWN BODY TISSUE AND AN IMPLANT (hybrid reconstruction)

LEARN MORE ABOUT BREAST RECONSTRUCTION OPTIONS [HERE](#)

ALLERGAN MEDICAL INSTITUTE SUPPORTS BREAST CANCER PATIENTS AND THE SURGEONS WHO TREAT THEM

Allergan
Medical
Institute

Our initiatives include ongoing education for plastic surgeons to hone their breast reconstruction skills and advance scientific knowledge through hands-on trainings, roundtable forums, national symposia, live webcast events, exclusive resources, and an online learning continuum.

LEARN MORE [HERE](#)

Natrelle® Breast Implants IMPORTANT SAFETY INFORMATION

WARNINGS

Breast implants are not lifetime devices. The longer patients have them, the greater the chance they will develop complications, which may require more surgery. Breast implants have been associated with a cancer of the immune system called breast implant-associated anaplastic large cell lymphoma (BIA-ALCL). Some patients have died from BIA-ALCL. Patients have also reported a variety of systemic symptoms, such as joint pain, muscle aches, confusion, chronic fatigue, autoimmune diseases, and others. Some patients report complete resolution of symptoms when the implants are removed without replacement.

INDICATIONS

Natrelle® Breast Implants are indicated for breast reconstruction to replace breast tissue that has been removed due to cancer or trauma or that has failed to develop properly due to a severe breast abnormality. This indication also includes revision surgery for primary breast reconstruction.

IMPORTANT SAFETY INFORMATION

Breast implant surgery should NOT be performed in women with an active infection, untreated breast cancer or precancer, or who are pregnant or nursing.

Avoid damage during surgery: Care should be taken to avoid the use of excessive force and to minimize handling of the implant. Follow recommended fill volumes for saline implants to decrease possibility of shell wrinkling and crease-fold failure.

Safety and effectiveness have not been established in patients with autoimmune diseases, a compromised immune system, planned chemotherapy or radiation following breast implant placement, conditions or medications that interfere with wound healing and blood clotting, reduced blood supply to breast tissue, or clinical diagnosis of depression or other mental health disorders.

Possible adverse events include implant rupture with silicone-filled implants, implant deflation with saline-filled implants, capsular contracture, reoperation, implant removal, pain, changes in nipple and breast sensation, infection, scarring, asymmetry, wrinkling, implant displacement/migration, implant palpability/visibility, breastfeeding complications, hematoma/seroma, implant extrusion, necrosis, delayed wound healing, infection, breast tissue atrophy/chest wall deformity, calcium deposits, and lymphadenopathy.

For more information, please see the full Directions for Use at www.allergan.com/products. To report a problem with Natrelle® Breast Implants, please call Allergan® at 1-800-624-4261.

The sale and distribution of this device is restricted to users and/or user facilities that provide information to patients about the risks and benefits of this device in the form and manner specified in the approved labeling provided by Allergan®.

References: 1. American Society of Plastic Surgeons (ASPS). 2019 Plastic Surgery Statistics Report: ASPS National Clearinghouse of Plastic Surgery Procedural Statistics. 2. Breast Cancer Facts and Statistics. BreastCancer.org. Accessed September 5, 2023. <https://www.breastcancer.org/facts-statistics>. 3. Data on file, Natrelle® Silicone-Filled Breast Implants and Natrelle INSPIRA® Breast Implants: Smooth Surface Implants Directions for Use, 2022.